



# Laboratory diagnostic products for veterinary medicine



■ Autoimmune and infection diagnostics

■ ELISA, EUROLINE and indirect immunofluorescence test systems ■

Produced and validated according to ISO and GMP standards

Алматы (7273)495-231  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Россия +7(495)268-04-70

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Казахстан +7(7172)727-132

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижегород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Киргизия +996(312)96-26-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Саранск (8342)22-96-24  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

# Products for veterinary diagnostics

Sorted by parameter

| Antibodies against                                                                                                                                                                                   | Test system   | Species   | Ig class | Antigen / Substrate                                                                                               | Format<br>Test system | Order no.                          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-----------|----------|-------------------------------------------------------------------------------------------------------------------|-----------------------|------------------------------------|
| Anti-nuclear antibodies (ANA)                                                                                                                                                                        | IIFT          | Dog       | IgG      | HEp-2 cells                                                                                                       | 10 x 05<br>10 x 10    | FA 1520-1005 C<br>FA 1520-1010 C   |
| Anaplasma phagocytophilum                                                                                                                                                                            | ELISA         | Dog       | IgG      | Specific, purified antigen of <i>Anaplasma phagocytophilum</i>                                                    | 96 x 01               | EI 220m-9601 GC                    |
| Anaplasma phagocytophilum                                                                                                                                                                            | ELISA         | Horse     | IgG      | Specific, purified antigen of <i>Anaplasma phagocytophilum</i>                                                    | 96 x 01               | EI 220m-9601 GE                    |
| Borrelia burgdorferi sensu lato                                                                                                                                                                      | ELISA         | Dog       | IgG      | Antigen extract of <i>Borrelia burgdorferi</i> sensu stricto, <i>Borrelia afzelii</i> and <i>Borrelia garinii</i> | 96 x 01               | EI 2132-9601-2 GC                  |
| Borrelia burgdorferi sensu lato                                                                                                                                                                      | ELISA         | Dog       | IgM      | Antigen extract of <i>Borrelia burgdorferi</i> sensu stricto, <i>Borrelia afzelii</i> and <i>Borrelia garinii</i> | 96 x 01               | EI 2132-9601 MC                    |
| Borrelia VlsE                                                                                                                                                                                        | ELISA         | Dog       | IgG      | Recombinant VlsE antigen of <i>Borrelia</i>                                                                       | 96 x 01               | EI 2132-9601-1 GC                  |
| Borrelia burgdorferi sensu lato                                                                                                                                                                      | ELISA         | Horse     | IgG      | Antigen extract of <i>Borrelia burgdorferi</i> sensu stricto and <i>Borrelia afzelii</i>                          | 96 x 01               | EI 2132-9601 GE                    |
| Borrelia burgdorferi sensu lato                                                                                                                                                                      | EUROLINE      | Dog       | IgG      | Specific, purified antigens: p18, p21, OspC (p25), OspA (p31), p39, p41, p100, VlsE-Bb                            | 16 x 01<br>32 x 01    | DN 2136-1601 GC<br>DN 2136-3201 GC |
| Borrelia burgdorferi sensu lato                                                                                                                                                                      | EUROLINE      | Dog       | IgM      | Specific, purified antigens: p18, p21, OspC (p25), p39, p41, p100                                                 | 16 x 01<br>32 x 01    | DN 2136-1601 MC<br>DN 2136-3201 MC |
| Borrelia burgdorferi sensu lato                                                                                                                                                                      | EUROLINE      | Horse     | IgG      | Specific, purified antigens: p18, OspC (p25), OspA (p31), p39, p58, p100, Lipid-Bb, VlsE-Bb, VlsE-Ba, DbpA        | 16 x 01<br>32 x 01    | DN 2136-1601 GE<br>DN 2136-3201 GE |
| Brucella                                                                                                                                                                                             | ELISA         | Camel     | IgG      | Suitable components of <i>Brucella</i> , native                                                                   | 96 x 01               | EI 2189-9601 GK                    |
| Coxiella phase 1                                                                                                                                                                                     | ELISA         | Ruminants | IgG      | Purified antigens from <i>Coxiella burnetii</i> cells of phase 1                                                  | 96 x 01               | EI 217a-9601-1 GR                  |
| Coxiella phase 2                                                                                                                                                                                     | ELISA         | Ruminants | IgG      | Purified antigens from <i>Coxiella burnetii</i> cells of phase 2                                                  | 96 x 01               | EI 217a-9601-2 GR                  |
| Ehrlichia canis                                                                                                                                                                                      | ELISA         | Dog       | IgG      | Recombinant antigen of <i>Ehrlichia canis</i>                                                                     | 96 x 01               | EI 220l-9601 GC                    |
| Hepatitis E virus                                                                                                                                                                                    | ELISA         | Camel     | IgG      | Recombinant structural protein of Hepatitis E virus genotype 7                                                    | 96 x 01               | EI 2525-9601 GK                    |
| Leishmania                                                                                                                                                                                           | ELISA         | Dog       | IgG      | Specific, purified antigen of <i>Leishmania donovani</i> complex                                                  | 96 x 01               | EI 2232-9601 GC                    |
| Mouse Monitoring Mosaic 1<br>Mouse hepatitis virus (MHV)<br>Mouse rotavirus (EDIM)<br>Murine norovirus (MNV)<br>Minute virus of mice (MVM)<br>Theiler's murine encephalomyelitis virus (TMEV)        | IIFT          | Mouse     | IgG      | Infected cells<br>(5 BIOCHIPS per field)                                                                          | 10 x 10               | FI 2603-1010-1 GM                  |
| Mouse Monitoring Mosaic 2<br>Sendaivirus (SEV)<br>Mycoplasma pulmonis<br>Pneumonia virus of mice (PVM)<br>Lymphocytic choriomeningitis virus (LCMV)<br>Ectromelia virus (ECTV)<br>Reovirus 3 (REO-3) | IIFT          | Mouse     | IgG      | Infected cells and <i>Mycoplasma pulmonis</i><br>(6 BIOCHIPS per field)                                           | 10 x 10               | FI 2725-1010-1 GM                  |
| MERS coronavirus                                                                                                                                                                                     | ELISA         | Camel     | IgG      | Recombinant structural protein of MERS coronavirus                                                                | 96 x 01               | EI 2604-9601 GK                    |
| MERS coronavirus                                                                                                                                                                                     | IIFT          | Camel     | IgG      | MERS coronavirus-infected and non-infected cells<br>(2 BIOCHIPS per field)                                        | 10 x 10               | FI 2604-1010 GK                    |
| Toxoplasma gondii                                                                                                                                                                                    | ELISA         | Dog       | IgG      | Purified and detergent-extracted <i>Toxoplasma gondii</i> organisms                                               | 96 x 01               | EI 2410-9601 GC                    |
| Toxoplasma gondii                                                                                                                                                                                    | IIFT          | Dog       | IgG      | <i>Toxoplasma gondii</i> trophozoites                                                                             | 10 x 05<br>10 x 10    | FI 2410-1005 GC<br>FI 2410-1010 GC |
| Toxoplasma gondii                                                                                                                                                                                    | ELISA         | Cat       | IgG      | Purified and detergent-extracted <i>Toxoplasma gondii</i> organisms                                               | 96 x 01               | EI 2410-9601 GF                    |
| Toxoplasma gondii                                                                                                                                                                                    | ELISA Avidity | Cat       | IgG      | Purified and detergent-extracted <i>Toxoplasma gondii</i> organisms                                               | 96 x 01               | EI 2410-9601-1 GF                  |
| Toxoplasma gondii                                                                                                                                                                                    | IIFT          | Cat       | IgG      | <i>Toxoplasma gondii</i> trophozoites                                                                             | 10 x 05<br>10 x 10    | FI 2410-1005 GF<br>FI 2410-1010 GF |

## Sorted by parameter

| Antibodies against                                                              | Test system   | Species | Ig class | Antigen / Substrate                                                                                                                                                                                                              | Format<br>Test system | Order no.                          |
|---------------------------------------------------------------------------------|---------------|---------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|------------------------------------|
| <b>Toxoplasma gondii</b>                                                        | IIFT          | Cat     | IgM      | <i>Toxoplasma gondii</i> trophozoites                                                                                                                                                                                            | 10 x 05<br>10 x 10    | FI 2410-1005 MF<br>FI 2410-1010 MF |
| <b>West Nile virus</b>                                                          | ELISA         | Horse   | IgG      | Recombinant glycoprotein E antigen of WNV                                                                                                                                                                                        | 96 x 01               | EI 2662-9601 GE                    |
| <b>West Nile virus</b>                                                          | ELISA Avidity | Horse   | IgG      | Recombinant glycoprotein E antigen of WNV                                                                                                                                                                                        | 96 x 01               | EI 2662-9601-1 GE                  |
| <b>Tick-Borne Profile 1</b><br><i>Borrelia</i><br><i>Anaplasma</i><br>TBE virus | EUROLINE      | Dog     | IgG      | <i>Borrelia</i> : recombinant VlsE of <i>Borrelia burgdorferi</i> sensu lato and OspC (p25) of relevant <i>Borrelia</i> species<br><i>Anaplasma</i> : recombinant MSP-2 antigen;<br>TBEV: recombinant glycoprotein E antigen     | 16 x 01               | DN 2136-1601-11 GC                 |
| <b>Tick-Borne Profile 1</b><br><i>Borrelia</i><br><i>Anaplasma</i><br>TBE virus | EUROLINE      | Horse   | IgG      | <i>Borrelia</i> : recombinant VlsE of <i>Borrelia burgdorferi</i> sensu lato, OspC (p25) of relevant <i>Borrelia</i> species and p100; <i>Anaplasma</i> : recombinant MSP-2 antigen;<br>TBEV: recombinant glycoprotein E antigen | 16 x 01               | DN 2136-1601-11 GE                 |

## Sorted by animal species

| Antibodies against | Test system | Species | Ig class | Antigen / Substrate | Format<br>Test system | Order no. |
|--------------------|-------------|---------|----------|---------------------|-----------------------|-----------|
|--------------------|-------------|---------|----------|---------------------|-----------------------|-----------|



|                                                                                 |          |     |     |                                                                                                                                                                                                                             |                    |                                    |
|---------------------------------------------------------------------------------|----------|-----|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|------------------------------------|
| <b>Anti-nuclear antibodies (ANA)</b>                                            | IIFT     | Dog | IgG | HEp-2 cells                                                                                                                                                                                                                 | 10 x 05<br>10 x 10 | FA 1520-1005 C<br>FA 1520-1010 C   |
| <b>Anaplasma phagocytophilum</b>                                                | ELISA    | Dog | IgG | Specific, purified antigen of <i>Anaplasma phagocytophilum</i>                                                                                                                                                              | 96 x 01            | EI 220m-9601 GC                    |
| <b>Borrelia burgdorferi sensu lato</b>                                          | ELISA    | Dog | IgG | Antigen extract of <i>Borrelia burgdorferi</i> sensu stricto, <i>Borrelia afzelii</i> and <i>Borrelia garinii</i>                                                                                                           | 96 x 01            | EI 2132-9601-2 GC                  |
| <b>Borrelia burgdorferi sensu lato</b>                                          | ELISA    | Dog | IgM | Antigen extract of <i>Borrelia burgdorferi</i> sensu stricto, <i>Borrelia afzelii</i> and <i>Borrelia garinii</i>                                                                                                           | 96 x 01            | EI 2132-9601 MC                    |
| <b>Borrelia burgdorferi sensu lato</b>                                          | EUROLINE | Dog | IgG | Specific, purified antigens: p18, p21, OspC (p25), OspA (p31), p39, p41, p100, VlsE-Bb                                                                                                                                      | 16 x 01<br>32 x 01 | DN 2136-1601 GC<br>DN 2136-3201 GC |
| <b>Borrelia burgdorferi sensu lato</b>                                          | EUROLINE | Dog | IgM | Specific, purified antigens: p18, p21, OspC (p25), p39, p41, p100                                                                                                                                                           | 16 x 01<br>32 x 01 | DN 2136-1601 MC<br>DN 2136-3201 MC |
| <b>Borrelia VlsE</b>                                                            | ELISA    | Dog | IgG | Recombinant VlsE antigen of <i>Borrelia</i>                                                                                                                                                                                 | 96 x 01            | EI 2132-9601-1 GC                  |
| <b>Ehrlichia canis</b>                                                          | ELISA    | Dog | IgG | Recombinant antigen of <i>Ehrlichia canis</i>                                                                                                                                                                               | 96 x 01            | EI 220l-9601 GC                    |
| <b>Leishmania</b>                                                               | ELISA    | Dog | IgG | Specific, purified antigen of <i>Leishmania donovani</i> complex                                                                                                                                                            | 96 x 01            | EI 2232-9601 GC                    |
| <b>Toxoplasma gondii</b>                                                        | ELISA    | Dog | IgG | Purified and detergent-extracted <i>Toxoplasma gondii</i> organisms                                                                                                                                                         | 96 x 01            | EI 2410-9601 GC                    |
| <b>Toxoplasma gondii</b>                                                        | IIFT     | Dog | IgG | <i>Toxoplasma gondii</i> trophozoites                                                                                                                                                                                       | 10 x 05<br>10 x 10 | FI 2410-1005 GC<br>FI 2410-1010 GC |
| <b>Tick-Borne Profile 1</b><br><i>Borrelia</i><br><i>Anaplasma</i><br>TBE virus | EUROLINE | Dog | IgG | <i>Borrelia</i> : recombinant VlsE of <i>Borrelia burgdorferi</i> sensu lato and OspC (p25) of relevant <i>Borrelia</i> species<br><i>Anaplasma</i> : recombinant MSP-2 antigen<br>TBEV: recombinant glycoprotein E antigen | 16 x 01            | DN 2136-1601-11 GC                 |



|                          |               |     |     |                                                                     |                    |                                    |
|--------------------------|---------------|-----|-----|---------------------------------------------------------------------|--------------------|------------------------------------|
| <b>Toxoplasma gondii</b> | ELISA         | Cat | IgG | Purified and detergent-extracted <i>Toxoplasma gondii</i> organisms | 96 x 01            | EI 2410-9601 GF                    |
| <b>Toxoplasma gondii</b> | ELISA Avidity | Cat | IgG | Purified and detergent-extracted <i>Toxoplasma gondii</i> organisms | 96 x 01            | EI 2410-9601-1 GF                  |
| <b>Toxoplasma gondii</b> | IIFT          | Cat | IgG | <i>Toxoplasma gondii</i> trophozoites                               | 10 x 05<br>10 x 10 | FI 2410-1005 GF<br>FI 2410-1010 GF |
| <b>Toxoplasma gondii</b> | IIFT          | Cat | IgM | <i>Toxoplasma gondii</i> trophozoites                               | 10 x 05<br>10 x 10 | FI 2410-1005 MF<br>FI 2410-1010 MF |



## Products for veterinary diagnostics

Sorted by animal species

| Antibodies against | Test system | Species | Ig class | Antigen / Substrate | Format<br>Test system | Order no. |
|--------------------|-------------|---------|----------|---------------------|-----------------------|-----------|
|--------------------|-------------|---------|----------|---------------------|-----------------------|-----------|



|                                                                                        |               |       |     |                                                                                                                                                                                                                                    |                    |                                    |
|----------------------------------------------------------------------------------------|---------------|-------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|------------------------------------|
| <b>Anaplasma phagocytophilum</b>                                                       | ELISA         | Horse | IgG | Specific, purified antigen of <i>Anaplasma phagocytophilum</i>                                                                                                                                                                     | 96 x 01            | EI 2200-9601 GE                    |
| <b>Borrelia burgdorferi sensu lato</b>                                                 | ELISA         | Horse | IgG | Antigen extract of <i>Borrelia burgdorferi sensu stricto</i> and <i>Borrelia afzelii</i>                                                                                                                                           | 96 x 01            | EI 2122-9601 GE                    |
| <b>Borrelia burgdorferi sensu lato</b>                                                 | EUROLINE      | Horse | IgG | Specific, purified antigens: p18, OspC (p25), OspA (p31), p39, p58, p100, Lipid-Bb, VlsE-Bb, VlsE-Ba, DbpA                                                                                                                         | 16 x 01<br>32 x 01 | DM 2126-1601 GE<br>DM 2126-3201 GE |
| <b>West Nile virus</b>                                                                 | ELISA         | Horse | IgG | Recombinant glycoprotein E antigen of WNV                                                                                                                                                                                          | 96 x 01            | EI 2662-9601 GE                    |
| <b>West Nile virus</b>                                                                 | ELISA Avidity | Horse | IgG | Recombinant glycoprotein E antigen of WNV                                                                                                                                                                                          | 96 x 01            | EI 2662-9601-1 GE                  |
| <b>Tick-Borne Profile 1</b><br><i>Borrelia</i><br><i>Anaplasma</i><br><i>TBE virus</i> | EUROLINE      | Horse | IgG | <i>Borrelia</i> : recombinant VlsE of <i>Borrelia burgdorferi sensu lato</i> , OspC (p25) of relevant <i>Borrelia</i> species and p100<br><i>Anaplasma</i> : recombinant MSP-2 antigen<br>TBEV: recombinant glycoprotein E antigen | 16 x 01            | DM 2126-1601-11 GE                 |



|                                                                                                                                                                                                                     |      |       |     |                                                                         |         |                   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------|-----|-------------------------------------------------------------------------|---------|-------------------|
| <b>Mouse Monitoring Mosaic 1</b><br>Mouse hepatitis virus (MHV)<br>Mouse rotavirus (EDIM)<br>Murine norovirus (MNV)<br>Minute virus of mice (MVM)<br>Theiler's murine encephalomyelitis virus (TMEV)                | IIFT | Mouse | IgG | Infected cells<br>(5 BIOCHIPS per field)                                | 10 x 10 | EI 2602-1010-1 GM |
| <b>Mouse Monitoring Mosaic 2</b><br>Sendai virus (SEV)<br><i>Mycoplasma pulmonis</i><br>Pneumonia virus of mice (PVM)<br>Lymphocytic choriomeningitis virus (LCMV)<br>Ectromelia virus (ECTV)<br>Reovirus 3 (REO-3) | IIFT | Mouse | IgG | Infected cells and <i>Mycoplasma pulmonis</i><br>(6 BIOCHIPS per field) | 10 x 10 | EI 2726-1010-1 GM |



|                          |       |       |     |                                                                            |         |                 |
|--------------------------|-------|-------|-----|----------------------------------------------------------------------------|---------|-----------------|
| <b>Brucella</b>          | ELISA | Camel | IgG | Suitable components of <i>Brucella</i> , native                            | 96 x 01 | EI 2180-9601 GK |
| <b>Hepatitis E virus</b> | ELISA | Camel | IgG | Recombinant structural protein of Hepatitis E virus genotype 7             | 96 x 01 | EI 2525-9601 GK |
| <b>MERS coronavirus</b>  | ELISA | Camel | IgG | Recombinant structural protein of MERS coronavirus                         | 96 x 01 | EI 2604-9601 GK |
| <b>MERS coronavirus</b>  | IIFT  | Camel | IgG | MERS coronavirus-infected and non-infected cells<br>(2 BIOCHIPS per field) | 10 x 10 | EI 2604-1010 GK |



|                         |       |           |     |                                                                  |         |                   |
|-------------------------|-------|-----------|-----|------------------------------------------------------------------|---------|-------------------|
| <b>Coxiella phase 1</b> | ELISA | Ruminants | IgG | Purified antigens from <i>Coxiella burnetii</i> cells of phase 1 | 96 x 01 | EI 2175-9601-1 GP |
| <b>Coxiella phase 2</b> | ELISA | Ruminants | IgG | Purified antigens from <i>Coxiella burnetii</i> cells of phase 2 | 96 x 01 | EI 2175-9601-2 GP |

Алматы (7273)495-231  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Россия +7(495)268-04-70

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81  
Казахстан +7(7172)727-132

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47  
Киргизия +996(312)96-26-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Саранск (8342)22-96-24  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93